




MLSL01-01




MLSL02-06



MLSL03-02




MLSL04-04



MLSL05-03




MLSL06-05




MLSL07-05




MLSL08-03




MLSL09-12




MLSL10-13




MLSL11-01




MLSL12-16




MLAC03-00




MLRE01-03




MLRE02-03




MLRE03-05




MLRE04-07




MLRE05-01




MLRE06-01




MLRE07-12




MLRE08-13




MLRE09-02




MLRE10-02




MLAN01-03




MLAN02-08




MLAN03-08




MLAN05-09




MLAN04-09




MLWL01-03




MLWL02-03




MLWL03-01




MLCC01-06




MLCL01-06




MLCL02-07




MLCL04-18



MLCL04-18




MLNE01-14




MLNE02-15




MLNE03-17




MLTI01-11




MLTI02-10




MLST01-02




MLDW01-03




MLDW02-03




MLDW03-03




LLDW04-06




MLDW05-07




MLDW06-02




MLDW07-01




MLDW08-03




MLDW09-01




MLDW10-05




MLBB01-02




MLBB02-02



MLHR01-0203




MLSH01-03




MLWB01-00

MLSL01-01


Ø strip up to 17 mm width



ABDECKUNG




High opal cover
(light reduction: -25%)



Low opal cover
(light reduction: -31%)

INSTALLATION



ENDKAPPEN





MONTAGECLIPS




MLSL02-06

Strip up to 28 mm width

ABDECKUNG




High opal cover: -36%
High frosted cover: -38%



Low opal cover: -40%
Low frosted cover: -42%

INSTALLATION



ENDKAPPEN






MONTAGECLIPS



MLSL03-02

ABDECKUNG



Opal cover: -35%
Frosted cover: -38%




IINSTALLATION



ENDKAPPEN



MONTAGECLIPS



MLSL04-04

LED strip up to 13 mm width

ABDECKUNG G



Opal cover
(light reduction: -25%)



INSTALLATION




ENDKAPPEN


MONTAGECLIPS



MLSL05-03



INSTALLATION




ENDKAPPEN




MONTAGECLIPS




ABDECKUNG




Transparent cover 50°
(light reduction: -34%)



Semiopal cover 67°
(light reduction: -38%)



Opal cover: -49%
Frosted cover: -55%






18° lens cover


MLSL06-05

ml 3 m far


ABDECKUNG




Transparent cover
(light reduction: -14%)



Opal cover: -32%
Frosted cover: -33%



INSTALLATION



ENDKAPPEN




MONTAGECLIPS




Available in 2 m for D strip up to 24 mm width


MLSL07-05



ABDECKUNG



Transparent cover
(light reduction: -8%)



Opal cover: -26%
Frosted cover: -27%




INSTALLATION



ENDKAPPEN



MONTAGECLIPS




D strip up to 12 mm width


Available in 2 m and 3 m for

ABDECKUNG

MLSL08-03




INSTALLATION




ENDKAPPEN


MONTAGECLIPS




Transparent cover 90°
(light reduction: -16%)



Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%





60° lens cover
(light reduction: -16%)

MLSL09-12



12 mm width


ABDECKUNG



Opal cover
(light reduction: -32%)



INSTALLATION



ENDKAPPEN

MONTAGECLIPS






MLSL10-13

strip 2 mm width



ABDECKUNG



Opal cover
(light reduction: -44%)



INSTALLATION



ENDKAPPEN





MONTAGECLIPS




MLSL11-01

Ø step up to 12 mm width

ABDECKUNG



INSTALLATION



ENDKAPP
EN



MONTAGECLIPS



MLSL12-16

D step up to 10 mm width

ABDECKUNG



Opal cover
(light reduction: -37%)



INSTALLATION





ENDKAPPEN

MONTAGECLIPS



MLAC03-00



Light reduction: -21%




INSTALLATION



MLRE01-01


ABDECKUNG




INSTALLATION




ENDKAPPEN




Transparent cover 90°
(light reduction: -16%)



Semiopal cover 90°
(light reduction: -20%)




Opal cover: -32%
Frosted cover: -39%




60° lens cover
(light reduction: -16%)


MLRE02-03




ABDECKUNG




Transparent cover 50°
(light reduction: -34%)



Semiopal cover 67°
(light reduction: -38%)



Opal cover: -49%
Frosted cover: -55%



18° Lens cover
(light reduction: -34%)

INSTALLATION





ENDKAPPEN




MLRE03-05

ABDECKUNG




Transparent cover
(light reduction: -14%)



Opal cover: -32%
Frosted cover: -33%



INSTALLATION



ENDKAPPEN



MONTAGECLIPS





MLRE04-07


strip up to 49 mm width

MLRE04-07

ABDECKUNG




— C0-C180 — C90-C270
 Low opal cover: -39%
 Low frosted cover: -41%



— C0-C180 — C90-C270
 High opal cover: -38%
 High frosted cover: -39%

INSTALLATION



ENDKAPPEN



MONTAGECLIPS





ULP-RE04-07


Strip up to 17 mm width

MLRE05-01

ABDECKUNG




High opal cover
(light reduction: -29%)



Flat opal cover
(light reduction: -36%)

INSTALLATION



ENDKAPPEN

MONTAGECLIPS





LLP-REUG-01


MLRE06-01

Ø step up to 17 mm width

ABDECKUNG




— C0-C180 — C90-C270
High opal cover
(light reduction: -38%)



— C0-C180 — C90-C270
Flat opal cover
(light reduction: -45%)



INSTALLATION



ENDKAPPEN



MONTAGECLIPS




LLP-RE06-01


LLP-RE07-12



MLRE07-12



ABDECKUNG



Opal cover
(light reduction: -32%)




IINSTALLATION




ENDKAPPEN



MLRE08-13



ABDECKUNG



Opal cover
(light reduction: -44%)




INSTALLATION




ENDKAPPEN



MLRE09-02



ABDECKUNG



Opal cover: -50%
Frosted cover: -53%



IINSTALLATION




ENDKAPPEN




Available in 2 m for LED strip up to 5 mm width

MLRE10-02



ABDEC






Opal cover: -46%
Frosted cover: -50%




INSTALLATION




MLAN01-01




Transparent cover
(light reduction: -25%)



Semiopal cover
(light reduction: -29%)



Opal cover: -41%
Frosted cover: -47%



40° lens cover
(light reduction: -25%)


INSTALLATION



ENDKAPPEN



MONTAGECLIPS






MLAN02-08


D8

D ramp up to 10 mm width

ABDECKUNG



Transparent cover
(light reduction: -9%)



Opal cover: -25%
Frosted cover: -28%

INSTALLATION



ENDKAPPEN






MONTAGECLIPS




Available in 2 m and 3 m for D step up to 10 mm width

MLAN03-08

ABDECKUNG



Transparent cover (light reduction: -9%)



Opal cover: -25%
Frosted cover: -28%

INSTALLATION




ENDKAPPEN




MONTAGECLIPS




MLAN04-09




INSTALLATION




ABDECKUNG



Transparent cover
(light reduction: -7%)



Opal cover: -22%
Frosted cover: -28%



Opal L cover
(light reduction: -25%)

ENDKAPPEN





MONTAGECLIPS




MLAN05-09


Depth up to 21 mm




ABDECKUNG



Transparent cover
(light reduction: -7%)



Opal cover: -22%
Frosted cover: -28%



Opal L cover
(light reduction: -25%)

INSTALLATION



ENDKAPPEN




MONTAGECLIPS



D strip up to 14 mm width


MLWL01-03




INSTALLATION




ABDECKUNG




Transparent cover
(light reduction: -20%)



Semiopal cover
(light reduction: -25%)



Opal cover: -37%
Frosted cover: -43%




55° lens cover
(light reduction: -19%)

ENDKAPPEN




MONTAGECLIPS



MLWL02-03



D strip up to 12 mm width




ABDECKUNG




INSTALLATION




Transparent cover
(light reduction: -16%)



Semiopal cover
(light reduction: -21%)



Opal cover: -33%
Frosted cover: -39%




56° lens cover
(light reduction: -16%)

ENDKAPPEN





MONTAGECLIPS




MLWL03-01

strip up to 17 mm width


MLWL03-01




High opal cover
(light reduction: -37%)



Flat opal cover
(light reduction: -43%)



INSTALLATION



ENDKAPPEN

MONTAGECLIPS





LP-1000-05


up to 12 mm width

Available in 3 m length


MLCC01-06



ABDECKUNG




High Opal cover: -64%
 High Frosted cover: -63%



Low Opal cover: -65%
 Low Frosted cover: -65%

INSTALLATION





MONTAGECLIPS




MLCL01-06


strip up to 20 mm width




ABDECKUNG




High opal cover step 1: -38%
High frosted cover step 1: -40%



Low opal cover step 1: -42%
Low frosted cover step 1: -44%




Low opal cover step 2: -54%
Low frosted cover step 2: -56%



High opal cover step 2: -51%
High frosted cover step 2: -53%

INSTALLATION



ENDKAPPEN MONTAGECLIPS







MLCL02-07



MLCL02-07

fit for LED strip up to 25 mm width



ABDECKUNG



— C0-C180 — C90-C270
Opal cover: -39%
Frosted cover: -42%





— C0-C180 — C90-C270
Opal cover: -40%
Frosted cover: -43%





— C0-C180 — C90-C270
Opal cover: -39%
Frosted cover: -41%

MLCL03-18




— C0-C180 — C90-C270

Transparent cover
(light reduction -26%)





— C0-C180 — C90-C270

Semiopal cover
(light reduction -31%)



— C0-C180 — C90-C270

Opal cover: -44%
Frosted cover: -48%




— C0-C180 — C90-C270

Lens 54° cover
(light reduction -28%)



ENDKAPPEN

MONTAGECLIPS




MLCL04-18


Available in 3 m for D strip up to 50 mm width



ABDECKUNG




Opal cover: -37%
Frosted cover: -38%



Biemission Opal: -37%
Biemission Frosted: -38%

INSTALLATION



ENDKAPP EN





MONTAGECLIPS



MLNE01-14


Ø strip up to 20 mm width

ABDECKUNG



Opal cover
(light reduction: -13%)

INSTALLATION



ENDKAPPEN





MONTAGECLIPS






MLNE02-15



ABDECKUNG



Opal cover
(light reduction: -13%)




ENDKAPPEN




MLNE03-17

LED strip up to 15 mm width



Opal cover
(light reduction: -32%)




INSTALLATION




ENDKAPPEN




MLT01-11



ABDECKUNG



— C0-C180 — C90-C270
 Opal cover: -42%
 Frosted cover: -43%



IINSTALLATION



ENDKAPPEN




MLT02-10


strip up to 17 mm width



ABDECKUNG




Frosted cover
(light reduction: -26%)




INSTALLATION



MLST01-02



ABDECKUNG



Opal cover: -68%
Frosted cover: -69%




INSTALLATION




MLDW01-02

D step up to 14 mm


ABDECKUNG




INSTALLATION




Transparent cover 40° (light reduction -41%)



Semiopal cover (light reduction: -45%)



Opal cover: -59%
Frosted cover: -60%





14° lens cover (light reduction: -41%)

0 step up to 18 mm width


P-DW02-03

MLDW02-03


ABDECKUNG




Transparent cover
(light reduction -38%)



Semiopal cover
(light reduction: -42%)



Opal cover: -56%
Frosted cover: -58%





13° lens cover
(light reduction: -38%)

INSTALLATION




MLDW03-03


ABDECKUNG




Transparent cover
(light reduction -35%)



Semiopal cover
(light reduction -42%)



Opal cover: -53%
Frosted cover: -59%





11° lens cover
(light reduction -37%)

INSTALLATION




MLDW04-06


ABDECKUNG



High opal cover: -38%
High frosted cover: -40%



Low opal cover: -42%
Low frosted cover: -44%



INSTALLATION



ENDKAPP EN

MONTAGECLIPS






P-DW05-07


ABDECKUNG

MLDW05-07

0 step up to 35 mm width



High opal cover: -39%
High frosted cover: -40%



Low opal cover: -41%
Low frosted cover: -42%

INSTALLATION





ENDKAPPEN MONTAGECLIPS



MLDW06-02

ABDECKUNG




Opal cover: -55%
Frosted cover: -59%




INSTALLATION




MLDW07-01



ABDECKUNG



High opal cover
(light reduction: -25%)



Low opal cover
(light reduction: -31%)




INSTALLATION





ENDKAPPEN






ABDECKUNG


MLDW08-03



Transparent cover
(light reduction: -21%)



Semiopal cover
(light reduction: -24%)




Opal cover: -37%
Frosted cover: -40%


INSTALLATION



MLDW09-01



ABDECKUNG



Low opal cover
(light reduction: -35%)



IINSTALLATION






MONTAGECLIPS




D strip up to 24 mm width

MLDW10-05

ABDECKUNG




Transparent cover
(light reduction: -20%)



Opal cover
(light reduction: -37%)


INSTALLATION




MONTAGECLIPS



MLBB01-02




ABDECKUNG



— C0-C180 — C90-C170
Opal cover: -68%
Frosted cover: -69%

IINSTALLATION





MONTAGECLIPS




MLBB02-02

ABDECKUNG




Opal cover: -65%
Frosted cover: -67%


INSTALLATION





MLHR01-0203



ABDECKUNG





INSTALLATION





CG-C180 CG-C270

Frosted cover





— C0-C180 — C90-C270

Transparent cover
(light reduction: -17%)




— C0-C180 — C90-C270

60° lens cover
(light reduction: -17%)



— C0-C180 — C90-C270


Transparent cover




— C0-C180 — C90-C270

Transparent cover


MLSH01-03




ABDECKUNG



Transparent cover
(light reduction: -19%)



Semiopal cover
(light reduction: -23%)



Opal cover: -37%
Frosted cover: -39%





INSTALLATION




ENDKAPPEN



MLWB01-00



INSTALLATION



MONTAGECLIPS





Artikel	Optionen	Lager
Aufbau		
MLSL01-01	w	L
MLSL02-06	3m, w	B
MLSL03-02		B
MLSL04-04		B
MLSL05-03	w, b, 3	L
MLSL06-05	w, 3	B
MLSL07-05	w	B
MLSL08-03	w, b, 3	L
MLSL09-12	3m, IP	B
MLSL10-13	3m, IP	B
MLSL11-01	w	B
MLSL12-16	w	L
MLAC03-00		B
Einbau		
MLRE01-03	3, w	L
MLRE02-03	3, w, b	L
MLRE03-05		L
MLRE04-07	w	B
MLRE05-01	w	B
MLRE06-01		B
MLRE07-12	3m, IP	B
MLRE08-13	3m, IP	B
MLRE09-02	3	L
MLRE10-02	w	L
MLCC01-06		B
Eck		
MLAN01-03	w	L
MLAN02-08	3	B
MLAN03-08	3	L
MLAN04-09	3	B
MLAN05-09	3, w	L
Wand		
MLWL01-03		B
MLWL02-03		B
MLWL03-01		B

Artikel	Optionen	Lager-/BestellArt.
Leuchten		
MLCL01-06	3m, w, b	B
MLCL02-07	3, w, b	B
MLCL04-18	3m, w, b	B
MLCL04-18		B
Rund		
MLNE01-14		B
MLNE02-15		B
MLNE03-17		B
Fliesen		
MLTI01-11	3m, IP	B
MLTI02-10	3m	B
MLST01-02	b	B
Trockenbau		
MLDW01-03	3	B
MLDW02-03		B
MLDW03-03	3	B
MLDW04-06	3	B
MLDW05-07	3	B
MLDW06-02	3	B
MLDW07-01	3	B
MLDW08-03	3	B
MLDW09-01		B
MLDW10-05	3	B
Spezial		
MLBB01-02	b	B
MLBB02-02		B
MLHR01-0203	6m	B
MLSH01-03	w	B
MLWB01-00		B

Standardlänge 2m, inkl. Abdeckung

Lager

L → Lagerartikel
B → Bestellartikel, Lieferzeit 6AT

Optionen

w → weiß
b → schwarz
3 → lieferbare Länge
IP → wasserdicht